

HARDWIRED VIDEO DOOR ENTRY


IPVIEW RANGE




IPVIEW-F




IPVIEW-HS



IPVIEW TOUCH



IPVIEW PUSH-BUTTON



MONITOR

IPVIEW SMART RECEIVER



IPVIEW CONCIERGE STATION



REAL-TIME MANAGEMENT

EQUALITY ACT 2010 COMPLIANT



ANTI-CLONE PROTECTION



IPVIEW VIDEO DOOR ENTRY

FULL IP (INTERNET PROTOCOL),
PoE (POWER OVER ETHERNET).



CALLS VIDEO MONITORS & SMART PHONES



IPVIEW-F

Flush Flanged BS316 S.Steel
Backbox: 360mmH x 135mmW x 70mmD
Facia and flange: 410mmH x 185mmW




IPVIEW-HS

Hooded Surface BS316 S.Steel
374mmH x 149mmW x 63mmDB x 93mmDT



IPVIEW TOUCH

370H x 144W x 50D mm




**IPVIEW
PUSH-BUTTON**

IPVIEW® Concierge Station



Concierge can monitor all IPVIEW® panels, call residents, see missed calls and alarm activations.

Wall video receiver in home



and also see, talk and grant access from anywhere from your Smart Phone!

Feature packed video entry panels

- TFT colour screen
- Proximity key anti-clone protection
- Voice output messages
- Trades, facilities and time control capabilities
- HD wide angle camera
- Integral proximity access control reader
- Visitor and resident floor specific lift access control
- Braille illuminated keypad
- Anti-vandal

EQUALITY ACT 2010 COMPLIANT



IPVIEW STAINLESS




IPVIEW-F

Flush Flanged BS316 S.Steel
410mmH x 185mmW x 70mmD



IPVIEW-HS

Hooded Surface BS316 S.Steel
374mmH x 149mmW x 63mmDB x 93mmDT



ZEUS

7" TFT Touchscreen



Dimensions: 120mmH x 190mmW x 28mmD

Monitor features

- Customisable languages and user interface
- High definition touchscreen display
- Simple installation
- Connect your mobile devices to the monitor and receive visitor calls from anywhere
- Events and recordings
- Concierge integration
- Security monitoring
- Auto snapshot and video record
- Video and audio message
- CCTV integration
- Do not disturb feature
- Management messages
- 8 inputs for integration (smart homes)
- QR code scanning (coming soon)
- Facial recognition (coming soon)

Key benefits

Works from anywhere

Whether you're in the kitchen, or traveling around the world, you'll always be able to answer your door from the palm of your hand. It even works when your phone is roaming on 3G/4G/5G networks.

Support multiple devices

Connect up to 4 monitors to one flat! When a visitor calls from the visitor door entry panel, the connected smart device will simultaneously ring.

Externally rated panels

The system is equipped with a rubber gasket ring preventing water ingress even in bad weather. It's built to withstand, humidity, rain, sleet, snow, ice and extreme heat.

Quick and easy install

Full IP/PoE so simple and easy to install. Linking your Smart device to the IPVIEW panel is simple and can be done in minutes.

See, talk and open the door from anywhere!

FEATURE PACKED

TFT COLOUR SCREEN

- Large colour screen
- Large touch screen also available
- Easy menus
- Customisable, display building specific information

ANTI-CLONE PROTECTION



ANTI-CLONE PROTECTION

VOICE OUTPUT MESSAGES

- Voice prompts to aid visitors

TRADES, FACILITIES & TIME CONTROL CAPABILITIES

HD WIDE ANGLE CAMERA

- LED illumination for night usage
- Facial recognition (coming soon)
- QR code scanning (coming soon)

INTEGRAL PROXIMITY ACCESS CONTROL READER


VISITOR & RESIDENT FLOOR SPECIFIC LIFT ACCESS CONTROL

BRaille KEYPAD


- Large 15.6mm dia raised buttons
- Large illuminated 8mm digits
- Keypad code for facilities
- IK09 vandal protection

ANTI-VANDAL


- BS316 stainless steel
- IK09 vandal protection




High specification camera



SYSTEM DIAGRAM



CONCIERGE TOUCH SCREEN AUDIO/VIDEO STATION



Used by receptionists and concierges with IPVIEW® video entry systems

Handset features

- Installation type: wall mount or desk stand
- Lift control functionality with password protected function
- 1- or 2-way video call to the resident's IPVIEW monitor
- Video monitoring of all system panels
- Call alarm and unlock event record



Dimensions code: 195mmH x 225mmW x 50mmD



TOTAL 24/7/365 REAL-TIME MANAGEMENT OF ALL YOUR SITES

www.baticonnect.com

PROGRAM ALL SYSTEMS, PANELS, CREDENTIALS REMOTELY



Display names, details



Proximity keyfobs



Keypad codes



Radio transmitters



Keysafes

- Programming without software via the cloud
- Real-time updates
- Modern and easy; NO programming readers required for proximity keyfobs, radio transmitters. This is only possible because the proximity keyfobs and radio transmitters are each stamped with a unique scheme ID number.

FLEXIBLE MULTI-MANAGER SYSTEM

PROGRAMMING AUTHORISATION LEVELS

Set programming level rights according to requirements for different facilities: Management, Service, Concierge etc

TRANSFER ACCOUNTS, AMEND WHO CONTROLS WHICH SITES

Management and service companies change. There may be numerous different contractors on a particular site. Ownership and responsibility for blocks / cores on a site are often mixed.

Control and set authorisations as required via BATICONNECT® CLOUD.

PROGRAM ACCESS RIGHTS



Date period validity

Example: from 28 Sept to 14 Dec 2022



Time zone validity

Example: from 08:00–20:00 Mon-Fri



Door / Gate validity

Create door/gate authorisation profiles

ALERT NOTIFICATIONS

SMS / Email notifications of forced doors, faults on 3rd party systems etc.

COMMUNICATE DIRECTLY WITH RESIDENTS

Using BATICONNECT's SMS Service! Send SMS messages directly to your residents.

EVENT LOGS

Date and time stamp, flat/resident details, result, location and plenty more...



ANTI-CLONE PROTECTION





ANTI-CLONE PROTECTION

for KCP8000 proximity keys / TEL868 radio transmitters

KCP8000 Proximity Keyfob for residents



- KCP8000 proximity keys are each **engraved with a unique 10 digit ID number**.
- They are also **sequentially numbered** for ease of administration control and security.

TEL868 Coded Radio Transmitter for motorists



- TEL868 radio transmitters are each **engraved with a unique 10 digit ID number**.
- They are also **sequentially numbered** for ease of administration control and security.

PX11-1GF



flush

PX11-MK1G-BSS



flush, internal only

PX11-MK1GS



surface

LPTRS



for lifts

IP DOOR ENTRY

08000 156496
sales@ipdooreentry.co.uk
www.ipdooreentry.co.uk
f ipdooreentry

IP Door Entry Limited
Unit DC4 Prologis Park
Eastman Way
Hemel Hempstead
HP2 7DU

BATI CONNECT
CLOUD
24/7/365
www.baticonnect.com